

KING'S COLLEGE HOSPITAL

PHARMACOPŒIA.

M15731

8

Diuretic action

Raise Arterial

Pressure

Generally - Look like action of Digitalis
General vaso constrict " + St. John's
Locally - Contract eff. - Vasomotor centres
in kidney - Dilate aff. - local - Sympathetic
vaso motor centre) Intestines relaxed

Act on renal cells or nerves - water to urea Caffeine
water + saltst $K_2C_2O_4$ Pot. Cit
Pot. Nit
Sod. Cit.



22500288104

P. P.
C. Wick

THE
PHARMACOPŒIA
OF
KING'S COLLEGE HOSPITAL.

PRICE ONE SHILLING.

London :
JOHN BALE & SONS,
87-89, GREAT TITCHFIELD STREET, OXFORD STREET, W

1891

24 876 556


WELLCOME INSTITUTE LIBRARY	
Coll.	WelMOmec
Coll.	
No.	QV740.
	.BES
	1891
	K55p

415731

PREFACE.

THE last issue of the King's College Hospital Pharmacopœia having long been exhausted, a new edition has been called for. This has been adapted to the British Pharmacopœia. Its objects are to facilitate the work both of the prescriber and of the dispenser, and to present the student with a series of formulæ which have been found useful in the various departments. To render it more permanently serviceable the doses of the pharmacopœia have been added, brief directions are given for the treatment of common cases of poisoning, and diet sheets employed in the wards are appended. The direction for the dietary of infants, as carried out in the Children's Ward, will probably prove of value to those commencing practice.

N. T.



Digitized by the Internet Archive
in 2014

<https://archive.org/details/b20407026>

KING'S COLLEGE HOSPITAL.

MEDICAL OFFICERS.

Consulting Physicians.

GEORGE JOHNSON, M.D., F.R.S.

W. O. PRIESTLEY, M.D.

SIR A. B. GARROD, M.D., F.R.S.

Consulting Surgeons.

HENRY SMITH, F.R.C.S.

JOHN WOOD, F.R.C.S., F.R.S.

Physicians.

LIONEL S. BEALE, M.B., F.R.S.

ALFRED B. DUFFIN, M.D.

I. BURNEY YEO, M.D.

DAVID FERRIER, M.D., F.R.S.

JOHN CURNOW, M.D.

Surgeons.

SIR JOSEPH LISTER, BART., F.R.S.

WILLIAM ROSE, M.B., B.S., F.R.C.S.

W. WATSON CHEYNE, M.B., C.M., F.R.C.S.

Assistant Physicians.

NESTOR TIRARD, M.D.

NORMAN DALTON, M.D.

SIR HUGH BEEVOR, BART., M.B.

Assistant Surgeons.

A. BOYCE BARROW, M.B., F.R.C.S.

A. CARLESS, M.B., M.S., F.R.C.S.

F. F. BURGHARD, M.D., M.S., F.R.C.S.

Physicians-Accoucheur and Physicians for the Diseases of Women and Children.

WILLIAM PLAYFAIR, M.D.

T. C. HAYES, M.A., M.D.

Assistant-Physician-Accoucheur and Assis- tant Physician for the Diseases of Women and Children.

JOHN PHILLIPS, M.D.

Aural Surgeon.

URBAN PRITCHARD, M.D., F.R.C.S.

Ophthalmic Surgeon.

M. M. McHARDY, F.R.C.S., Ed.

Dental Surgeon.

A. S. UNDERWOOD, M.R.C.S.

Vaccinator.

EDWARD LOWE WEBB, M.R.C.S.

Chloroformist.

CHARLES MOSS, M.R.C.S.

Sambrooke Registrars.

G. F. W. EWENS, M.D.

G. L. CHEATLE, F.R.C.S.

Dispenser.

MR. W. WILLMOTT (*Pharmaceutical Chemist*).

TABLE OF CONTENTS.

PHARMACOPŒIA :

	PAGE
COLLYRIA - - - - -	11
GARGARISMATA - - - -	12
INJECTIONES - - - -	13
POWDERS FOR INJECTION, &c. -	14
LOTIONES - - - - -	15
MISTURÆ (FOR ADULTS) - -	17
MISTURÆ (FOR CHILDREN) - -	28
PIGMENTA - - - - -	31
PILULÆ - - - - -	34
PULVERES (FOR ADULTS) - -	36
PULVERES (FOR CHILDREN) -	36
UNGUENTA - - - - -	37
TABLE OF DOSES - - - - -	41
POISONS AND THEIR TREATMENT - -	65
DIETARY - - - - - -	85
DIETARY FOR INFANTS - - - -	90

PHARMACOPŒIA.

COLLYRIA.

(1) Collyrium Acidi Borici.

R̄ Acidi Borici ... gr. x,
 Aquæ Destillatæ ... ℥j.

(2) Collyrium Acidi Borici cum Belladonna.

R̄ Acidi Borici ... gr. v,
 Extracti Belladonnæ gr. v,
 Aquæ Destillatæ ... ℥j.

(3) Collyrium Aluminis.

R̄ Aluminis ... gr. iv,
 Aquæ Destillatæ ... ℥j.

GARGARISMATA.

(1) Gargarisma Aluminis.

℞ Aluminis	3j,
Acidi Sulphurici Di-			
luti	3iij,
Aquæ...	ad Oj.

(2) Gargarisma Potassii Chloratis.

℞ Potassii Chloratis	...	gr. x,
Aquæ...	...	3j.

(3) Gargarisma Potassii Chloratis Acidum.

℞ Potassii Chloratis	...	gr. x,
Acidi Hydrochlorici		
Diluti	...	℥ x,
Glycerini	...	℥ xx,
Aquæ...	...	ad 3j.

(4) Gargarisma Sodæ Chlorinatae.

R̄ Liquoris Sodæ Chlori-
 natæ ℥j,
 Aquæ ad Oj.

INJECTIONES.**(1) Injectio Communis.**

R̄ Aluminis gr. xl,
 Zinci Sulphatis ... gr. xxiv,
 Decocti Quercus ... ℥iv.

(2) Injectio Zinci Chloridi.

R̄ Zinci Chloridi ... gr. ss,
 Extracti Belladonnæ gr. $\frac{1}{4}$,
 Aquæ... ℥j.

(3) Injectio Zinci Sulphatis.

R̄ Zinci Sulphatis ... gr. iiij,
 Plumbi Acetatis ... gr. iiij,
 Aquæ... ℥j.

POWDERS FOR INJECTION, &c. (Aural Department).

No. 1. Pulvis Zinci et Acidi Carbolici.

℞ Zinci Sulphatis Ex-

siccati gr. xxxiiij,

Acidi Carbolici ... gr. x.

Dissolve the powder in a pint of water, and use with equal parts of warm water, as an injection for the ears, night and morning.

No. 2. Pulvis Zinci Compositus.

℞ Zinci Sulphatis Ex-

siccati gr. xxij,

Plumbi Acetatis ... gr. xxv,

Antimonii Sulphatis gr. x,

Creasoti ℥vj.

Dissolve the powder in a pint of water, and use with equal parts of warm water, as an injection for the ears, night and morning.

No. 3. Pulvis Boracis.

R̄ Boracis ℥j.

Injection for Nostrils.—As much as will lie on a shilling to be dissolved in a wineglassful of warm water, and injected gently down the nostrils.

No. 4. Pulvis Aluminis et Acidi Tannici.

R̄ Acidi Tannici ... ℥j,
 Aluminis ℥iij.

Dissolve the powder in a pint of hot water, and use a wineglassful as a gargle night and morning.

LOTIONES.

(1) Lotio Boracis.

R̄ Boracis gr. v,
 Aquæ... ℥j.

(2) **Lotio Carbolici et Hydrargyri**
 (“**Strong Mixture.**”)

R̄ Acidi Carbolici ... partes 25,
 Hydrargyri Perchlo-
 ridi... ... partem 1,
 Aquæ... ... partes 500.

(3) **Lotio Evaporans.**

R̄ Ammonii Hydrochlo-
 ratis ʒss,
 Spiritus Rectificati ... ʒjss,
 Aquæ ad Oj.

(4) **Lotio Plumbi cum Opio.**

R̄ Liquoris Plumbi Sub-
 acetatis ℥ v.
 Tincturæ Opii ... ʒss,
 Aquæ ad ʒj.

(5) **Lotio Rubra.**

R̄ Zinci Sulphatis ... gr. xx,
 Spiritus Rosmarini } āā,
 Spiritus Lavandulæ } ʒiij,
 Aquæ... ... ad Oj.

(6) Lotio Plumbi.

R̄ Liquoris Plumbi Sub-
 acetatis ℥ij,
 Aquæ ad Oj.

(7) Lotio Zinci Sulphatis.

R̄ Zinci Sulphatis ... gr. ij,
 Aquæ ℥j.

MISTURÆ (for Adults).**(1) Mistura Acida Aromatica.**

R̄ Acidi Hydrochlorici
 Diluti ℥ xv,
 Spiritus Armoraciæ
 Compositi ... ℥ x,
 Tincturæ Zingiberis ℥ v,
 Infusi Calumbæ ... ad ℥j.

(2) Mistura Acidi Nitro-Hydrochlorici.

R̄ Acidi Nitro-Hydro-
chlorici Diluti ... ℥ xv,
Infusi Chiratae ... ad ʒj.

(3) Mistura Acidi Sulphurici cum Opio.

R̄ Acidi Sulphurici Diluti ℥ xx,
Tincturae Opii ... ℥ x,
Spiritus Chloroformi ℥ xx,
Aqua Camphorae ... ad ʒj.

(4) Mistura Ætheris Sulphuris cum Ammonia.

R̄ Spiritus Ammoniae	}	āā,	
Aromatici... ..			
Spiritus Ætheris ...	}	ʒss,	
Spiritus Chloroformi			℥ xx,
Aqua			ad ʒj.

(5) Mistura Alba.

R̄	Magnesii Carbonatis.	gr. x,
	Magnesii Sulphatis...	ʒj,
	Aquæ Menthæ Piper-	
	itæ... 	ʒj.

(6) Mistura Ammoniaë.

R̄	Ammonii	Carbon-	
	atis	gr. iv,
	Theriacæ	℥ xx,
	Tincturæ Lavandulæ		
	Compositæ	℥ xx,
	Aquæ Menthæ Pi-		
	peritæ	ad ʒj.

(7) Mistura Ammonii Acetatis.

R̄	Liquoris	Ammonii	
	Acetatis	ʒss,
	Aquæ	ʒss.

(8) Mistura Bismuthi.

R̄	Bismuthi Subnitratis.	gr. xv,
	Magnesii Carbonatis..	gr. x,
	Mucilaginis Traga-	
	canthæ	ʒss,
	Aquæ Anisi	ad ʒj.

(9) Mistura Bromidi Composita.

R̄	Potassii Bromidi ...	gr. xv,
	Liquoris Strychninæ	℥ iij,
	Tincturæ Capsici ...	℥ ij,
	Aquæ Menthæ Piper-	
	itæ... ..	ʒj.

(10) Mistura Bromidi cum Arsenico.

R̄	Potassii Bromidi ...	gr. xv,
	Liquoris Arsenicalis..	℥ iv,
	Syrupi	ʒj,
	Aquæ Cinnamomi ...	ad ʒj.

(11) Mistura Cannabis Composita.

R̄	Tincturæ	Cannabis	
	Indicæ	℥ xij,
	Pulveris	Tragacanthæ	
	Compositi...	...	gr. xx,
	Spiritus	Ætheris	... ℥ vj,
	Liquoris	Morphinæ	
	Hydrochloratis	...	℥ x,
	Aquæ	ad ℥j.

(12) Mistura Cascarillæ Composita.

R̄	Tincturæ	Scillæ	... ℥ xv,
	Tincturæ	Camphoræ	
	Compositæ	...	℥ss,
	Infusi	Cascarillæ	... ad ℥j.

(13) Mistura Chloroformi.

R̄	Spiritus	Chloroformi	℥ x,
	Mucilaginis	Traga-	
	canthæ	℥j.

(14) Mistura Copaibæ Acida.

R̄	Copaibæ	℥ xx,
	Acidi Sulphurici Di-			
	luti	℥ x,
	Mucilaginis Acaciæ..			ʒss,
	Aquæ...	ad ʒj.

(15) Mistura Copaibæ Alkalina.

R̄	Copaibæ	℥ xx,
	Liquoris Potassæ	...		℥ x,
	Mucilaginis Acaciæ...			ʒss,
	Aquæ	ad ʒj.

(16) Mistura Cretæ cum Hæmatoxylo.

R̄	Tincturæ Catechu	...		ʒss,
	Misturæ Cretæ			
	Decocti Hæma-			āā
	toxyli	...		ʒss.

(17) Mistura Effervescens.

R _x	(a) Sodii Bicarbon-		
	atis	gr. xx,
	Aquæ	ʒj,
	(b) Acidi Tartarici	gr. xviii,
	Aquæ	ʒss.

(18) Mistura Ergotæ.

R _x	Extracti Ergotæ Li-		
	quidi	ʒss,
	Boracis	gr. iv,
	Ammonii Carbonatis		gr. iv,
	Tincturæ Capsici	℥ iij,
	Aquæ Cinnamomi	ad ʒj.

(19) Mistura Ferri cum Ammonia.

R _x	Ferri et Ammonii Ci-		
	tratis	gr. viij,
	Spiritus Ammoniaë		
	Aromatici	ʒss,
	Infusi Calumbæ	ad ʒj.

(20) Mistura Ferri et Magnesii Sulphatis.

R̄ Ferri Sulphatis	...	gr. ij,
Magnesii Sulphatis...		gr. xx,
Aquæ...	℥j.

(21) Mistura Ferri et Quininæ.

R̄ Tincturæ Ferri Per-		
chloridi	℥ xx,
Quininæ Sulphatis	...	gr. j,
Tincturæ Nucis Vo-		
micæ	℥ x,
Magnesii Sulphatis...		gr. xx,
Infusi Calumbæ	...	ad ℥j.

(22) Mistura Ferri Perchloridi.

R̄ Liquoris Ferri Per-		
chloridi	℥ xv,
Infusi Quassiæ	...	℥j.

(23) Mistura Ferri Arsenicalis.

℞ Ferri et Ammonii Ci-
 tratis gr. v,
 Liquoris Arsenicalis ℥ iv,
 Infusi Quassiae ... ℥j.

(24) Mistura Gentianæ Alkalina.

℞ Sodii Bicarbonatis ... gr. x,
 Acidi Hydrocyanici
 Diluti ℥ ijss,
 Infusi Gentianæ Com-
 positi ℥j.

(25) Mistura Hydrargyri Perchloridi.

℞ Liquoris Hydrargyri
 Perchloridi ... ℥j,
 Decocti Cinchonæ ... ad ℥j.

(26) Linctus.

R̄ Acidi Sulphurici Di-			
luti...	℥ xv,
Syrupi Scillæ		...	ʒss,
Tincturæ Camphoræ			
Compositæ		...	ʒij,
Theriacæ	ʒj,
Aquæ Anisi	ad ʒj.

(27) Linctus Scillæ cum Opio.

R̄ Syrupi Papaveris	}	āā
Oxymel Scillæ		ʒss.

(28) Mistura Olei.

R̄ Olei Olivæ	ʒj,
Mucilaginis Acaciæ	...		ʒss,
Aquæ	ad ʒj.

(29) Mistura Potassii Bicarbonatis.

R̄ Potassii Bicarbonatis			gr. xx,
Aquæ	ʒj.

(30) Mistura Potassii Bromidi.

R̄ Potassii Bromidi	...	gr. xx,
Aquæ	℥j.

(31) Mistura Potassii Iodidi.

R̄ Potassii Iodidi	...	gr. v,
Spiritus Ammoniaë		
Aromatici...	...	℥ xv,
Infusi Quassiaë	...	℥j.

(32) Mistura Quininæ.

R̄ Quininæ Sulphatis	...	gr. j,
Acidi Sulphurici Di-		
luti	℥ v,
Aquæ	℥j.

(33) Mistura Quininæ Alkalina.

R̄ Quininæ Sulphatis	...	gr. j,
Ammonii Carbonatis		gr. ij,
Potassii Bicarbonatis		gr. xx,
Tragacanthæ	...	gr. iv,
Aquæ Chloroformi	...	℥j.

(34) Mistura Rhei Ammoniata.

R _x Pulveris Rhei	...	gr. iv,
Ammonii Carbonatis		gr. ij,
Infusi Quassiæ	...	} āā 3ss.
Aquæ Menthæ	Pi-	
peritæ	...	

(35) Vinum Ferri.

R _x Ferri et Ammonii		
Citratis	...	3ij,
Spiritus Rectificati	...	3ij,
Aquæ	...	ad Oj.

MISTURÆ (for Children).**(1) Mistura Bismuthi et Sodii.**

R _x Bismuthi Subnitratis	gr. x,
Sodii Bicarbonatis	... gr. x,
Mucilaginis	... 3j,
Aquæ Menthæ	Pi-
peritæ	...
Infusi Calumbæ	...

}		āā
		ad 3j.

Dose.—3j—3ij.

(2) Mistura Catechu Aromatica.

R̄ Pulveris Cretæ Aro-
 maticæ gr. xx,
 Infusi Catechu ... ℥jss.

Dose.—℥j—℥ij.

(3) Mistura Cretæ cum Hæmatoxylo.

Same as for adults.

Dose.—℥j—℥ij.

(4) Mistura Ferri.

R̄ Tincturæ Ferri Per-
 chloridi ℥ xl,
 Glycerini ℥ss,
 Aquæ ad ℥j.

Dose.—℥j—℥ij.

(5) Mistura Ipecacuanhæ cum Ammonia.

R̄ Ammonii Carbonatis	gr. v,
Vini Ipecacuanha ...	℥ v,
Syrupi Scillæ ...	ʒss,
Glycerini ...	℥ x,
Misturæ Chloroformi	ad ʒj.

Dose.—ʒj—ʒij.

(6) Mistura Magnesii Sulphatis cum Rheo.

R̄ Magnesii Sulphatis...	ʒj,
Tincturæ Rhei ...	ʒij,
Syrupi Zingiberis ...	ʒj,
Aquæ Carui... ..	ad ʒjss.

Dose.—ʒj—ʒij.

(7) Mistura Olei Morrhuæ.

R̄ Liquoris Calcis ...	ʒss,
Glycerini ...	℥ x,
Spiritus Menthæ Pi-	
peritæ ...	℥ iiij,
Olei Morrhuæ ...	ad ʒj.

Dose.—ʒj—ʒij.

(8) Mistura Potassii Citratis.

R̄ Potassii Citratis	℥ss,
Syrupi	℥iij,
Aquæ	ad ℥iss.

Dose.—℥j—℥ij.

(9) Mistura Tincturæ Cinchonæ.

R̄ Potassii Chloratis	...	gr. x,
Tincturæ Cinchonæ		
Compositæ	...	℥ss,
Acidi Nitrici Hydro-		
chlorici Diluti	...	℥ x,
Glycerini	...	℥ x,
Aquæ Carui	...	ad ℥j.

Dose.—℥j—℥iij.

PIGMENTA.**(1) Pigmentum Acidi Carbolici Mitius.**

R̄ Acidi Carbolici	...	℥j,
Glycerini	...	℥viij.

(2) **Pigmentum Acidi Salicylici.**

R _x	Acidi Salicylici	...	}	āā
	Glycerini

(3) **Pigmentum Ferri Perchloridi.**

R _x	Liquoris Ferri Per-	}	}	āā		
	chloridi			
	Glycerini			

(4) **Pigmentum Iodi.**

R _x	Iodi	žj,
	Potassii Iodidi	gr. xx,
	Spiritus Rectificati	žj.

(5) **Pigmentum Iodoformi cum Eucalyptol.**

R _x	Iodoformi	žss,
	Eucalyptol	žj,
	Glycerini	ad žj.

(6) Pigmentum Naphthol.

R̄ Naphthol	3j,
Sulphuris Præcipitatae			3v,
Saponis Mollis	...	}	āā
Paraffini Mollis	...		3j.

To be applied 30-60 minutes once daily for three or four days until the skin peels.

(7) Pigmentum Olei Ricini cum Collodio.

R̄ Olei Ricini	}	āā
Collodii		3ss.

(8) Pigmentum Picis Fortius.

R̄ Picis Liquidæ	...	}	āā
Spiritus Rectificati...			3ss.

(9) Pigmentum Picis Mitius.

R̄ Picis Liquidæ	...	3j,
Spiritus Rectificati	...	3vij.

(10) Pigmentum Sulphuris.

R̄	Sulphuris Præcipitati	} āā 3ij.
	Potassii Carbonatis	
	Glycerini	
	Spiritus Rectificati...	

PILULÆ.**(1) Pilula Colocyntidis cum Calomel.**

R̄	Hydrargyri Sub-	
	chloridi	gr. ij,
	Pilulæ Colocyntidis	
	Compositæ	gr. iiij,
	Olei Carui	q.s.

(2) Pilula Ergotini.

R̄	Ergotini	gr. j,
	Acidi Gallici... ..	gr. iiij,
	Extracti Krameriaë... ..	q.s.

(3) Pilula Ferri et Nucis Vomicae.

R̄ Ferri Sulphatis ... gr. jss,
 Extracti Nucis Vo-
 micae ... gr. ss,
 Extracti Gentianæ ... gr. ij,

(4) Pilula Hydrargyri cum Rheo.

R̄ Pilulæ Hydrargyri ... } āā
 Pilulæ Rhei Compo-
 sitæ ... } gr. ijss.

(5) Pilula Hydrargyri Subchloridi cum Scilla.

R̄ Hydrargyri Subchlo-
 ridi ... gr. j,
 Pulveris Scillæ ... gr. j,
 Pulveris Digitalis ... gr. j,
 Extracti Hyoscyami gr. jss.

PULVERES (for Adults).

(1) Pulvis Jalapæ Alkalina.

℞ Potassii Nitratis	...	}	āā
Pulveris Jalapæ	...	}	gr. x.

(2) Pulvis Rhei cum Soda.

℞ Pulveris Rhei	...	}	āā
Sodii Bicarbonatis	...	}	gr. x.

PULVERES (for Children).

(1) Pulvis Cinchonæ cum Sodio.

℞ Pulveris Cinchonæ...		}	āā
Rubræ Corticis	...	}	partes
Sodii Bicarbonatis	...	}	æquales.

Dose.—gr. iij—gr. v.

(2) Pulvis Hydrargyri cum Creta et Sacchari.

℞ Hydrargyri cum Creta	gr. ij,
Sacchari Purificati	... gr. viij.

(3) Pulvis Ipecacuanhæ Compositus cum Rheo.

R̄ Pulveris Ipecacuanhæ
 Compositæ ... gr. iv,
 Pulveris Rhei ... gr. vi.

Dose.—gr. iij—gr. v.

(4) Pulvis Rhei Compositus cum Hydrargyro.

R̄ Pulveris Rhei Com-
 positi gr. viij,
 Hydrargyri cum Creta gr. ij.

UNGUENTA.

(1) Unguentum Belladonnæ cum Hydrargyro.

R̄ Extracti Belladonnæ gr. x,
 Hydrargyri Ammoni-
 ati gr. v,
 Paraffini Mollis ... ʒj.

(2) Unguentum Diachyli.

R̄	Emplastri Plumbi	...	} āā partes æquales,
	Paraffini Mollis		
	Olei Lavandulæ	...	q.s.

(3) Unguentum Hydrargyri Ammoniati Fortior.

R̄	Hydrargyri Ammo-			
	niati	ʒv,
	Unguenti Simplicis	...		ʒj.

(4) Unguentum Hydrargyri Bisulphidi.

R̄	Hydrargyri Bisul-			
	phidi	gr. v,
	Sulphuris Præcipitati			ʒj,
	Olei Lavandulæ	...		℥ iiij,
	Unguenti Simplicis			ad ʒj.

(5) Unguentum Hydrargyri Flavi Dilutum.

R̄	Hydrargyri Oxidi			
	Flavi	gr. xij,
	Paraffini Mollis	...		ʒj.

(6) Unguentum Hydrargyri Mitius.

℞ Unguenti Hydrargyri ʒij,
 Camphoræ gr. x,
 Spiritus Rectificati ... q.s,
 Paraffini Mollis ... ʒvj.

(7) Unguentum Hydrargyri Oleati.

℞ Oleati Hydrargyri ... ʒss,
 Adipis Lanæ Hydrosi ʒss,
 Acidi Oleici ad ʒj.

(8) Unguentum Hydrargyri Oxidi Rubri Dilutum.

℞ Unguenti Hydrargyri
 Oxidi Rubri ... ʒij,
 Paraffini Mollis ... ʒvj.

(9) Unguentum Metallorum.

℞ Unguenti Zinci	...	} āā partes æquales.
Unguenti Plumbi Ace-	...	
tatis	...	
Unguenti Hydrargyri	...	
Nitratis	...	

(10) Unguentum Sulphuris Iodidi.

R̄	Sulphuris Iodidi	...	gr. x,
	Sulphuris Præcipitati		gr. x,
	Olei Amygdalæ Am-		
	aræ	ʒiv,
	Adipis Recentis	...	ʒj.

TABLE OF DOSES.

Acetanilidum	...	gr. iiij	to	gr. x.
Acetum	ʒj	„	ʒj.
Acetum Ipecacuanhæ		℥ v	„	℥ xl.
Acetum Scillæ	...	℥ xv	„	℥ xl.
Acidum Aceticum				
Dilutum	ʒj	„	ʒj
Acidum Arseniosum		gr. $\frac{1}{60}$	„	gr. $\frac{1}{12}$.
Acidum Benzoicum	..	gr. x	„	gr. xv.
Acidum Boricum	...	gr. v	„	ʒss.
Acidum Carbolicum		gr. j	„	gr. iiij.
Acidum Carbolicum				
Liquefactum	...	℥ j	„	℥ iv.
Acidum Citricum	...	gr. x	„	ʒss.
Acidum Gallicum	...	gr. ij	„	gr. x.
Acidum Hydrobromi-				
cum Dilutum	...	℥ xv	„	℥ l.
Acidum Hydrochlori-				
cum Dilutum	..	℥ x	„	ʒss.
Acidum Hydrocyani-				
cum Dilutum	...	℥ ij	„	℥ viij.
Acidum Lacticum				
Dilutum	ʒss	„	ʒij.
Acidum Nitricum Di-				
lutum	℥ x	„	ʒss.

Acidum Nitro-Hydro- chloricum Dilutum	℥ v	to	℥ xx.
Acidum Phosphori- cum Concentratum	℥ ij	,,	℥ v.
Acidum Phosphori- cum Dilutum ...	℥ x	,,	ʒss.
Acidum Salicylicum	gr. v	,,	ʒss.
Acidum Sulphuricum Aromaticum ...	℥ v	,,	ʒss.
Acidum Sulphuricum Dilutum ...	℥ v	,,	ʒss.
Acidum Sulphurosum	ʒss	,,	ʒj.
Acidum Tannicum ...	gr. ij	,,	gr. x.
Acidum Tartaricum...	gr. x	,,	ʒss.
Æther ...	℥ xx	,,	ʒj.
Æther Aceticus ...	℥ xx	,,	ʒj.
Aloe Barbadensis ...	gr. ij	,,	gr. vj.
Aloe Socotrinæ ...	gr. ij	,,	gr. vj.
Aloin ...	gr $\frac{1}{2}$,,	gr. ij.
Alumen ...	gr. x	,,	gr. xx.
Ammoniacum ...	gr. x	,,	gr. xx.
Ammonii Benzoas ...	gr. x	,,	gr. xx.
Ammonii Bromidum	gr. ij	,,	gr. xx.
Ammonii Carbonas...	gr. iiij	,,	gr. x.
Ammonii Carbonas (as emetic) ...	ʒss.	diluted.	
Ammonii Chloridum	gr. v	,,	gr. xx.
Ammonii Phosphas...	gr. v	,,	gr. xx.

Amyl Nitris (inhalation)	℥ ij	to v.
Amyl Nitris (internal administration) ...	℥ $\frac{1}{2}$	„ ℥ j.
Antifebrin (acetanilidum)	gr. iiij	„ gr. x.
Antimonii Oxidum ...	gr. j	„ gr. iv.
Antimonium Sulphuratum... ..	gr. j	„ gr. v.
Antimonium Tartaratum (as a diaphoretic) }	gr. $\frac{1}{16}$	„ gr. $\frac{1}{6}$.
Antimonium Tartaratum (as a vascular depressant) }	gr. $\frac{1}{6}$	„ gr. j.
Antimonium Tartaratum (as an emetic) }	gr. j.	„ gr. ij.
Antipyrin (Phenazonum)	gr. iiij.	„ gr. xx.
Aquæ (the dose of those omitted) ...	℥ss	„ ℥ij.
Aqua Laurocerasi ...	℥ss	„ ℥ij.
Argenti Nitras ...	gr. $\frac{1}{6}$	„ gr. $\frac{1}{3}$.
Argenti Oxidum ...	gr. $\frac{1}{2}$	„ gr. ij.
Arsenii Iodidum ...	gr. $\frac{1}{30}$.	
Asafoetida	gr. v	„ gr. xx.
Balsamum Peruvianum	℥ x	„ ℥ xv.

Balsamum	Toluta-			
num	gr. x	to gr. xx.
Beberinæ Sulphas	...		gr. j	„ gr. x.
Bismuthi Carbonas...			gr. v	„ gr. xx.
Bismuthi Citras	...		gr. ij	„ gr. v.
Bismuthi et Ammonii				
Citras	gr. ij	„ gr. v.
Bismuthi Oxidum	...		gr. v	„ gr. xv.
Bismuthi Subnitras...			gr. v	„ gr. xx.
Borax	gr. v	„ gr. xl.
Butyl-Chloral Hydras			gr. v	„ gr. xv.
Caffeina	gr. j	„ gr. v.
Caffeinæ Citras	...		gr. ij	„ gr. x.
Calcii Carbonas Præ-				
cipitata	gr. x	„ 3j.
Calcii Chloridum	...		gr. iij	„ gr. x.
Calcii Hypophosphis.			gr. v	„ gr. x.
Calcii Phosphas	...		gr. x	„ gr. xx.
Calumbæ Radix (in				
powder)	gr. v	„ gr. xx.
Calx Sulphurata	...		gr. $\frac{1}{10}$	„ gr. j.
Cambogia	gr. j	„ gr. iv.
Camphora	gr. j	„ gr. x.
Carbo Animalis Puri-				
ficatus	gr. xx	„ 3j.
Carbo Ligni...	...		gr. xx	„ 3j.
Catechu	gr. x	„ 3ss.

Cerevisiæ	Fermen-				
tum	ʒss	to	ʒj.
Cerii Oxalas...	gr. j	„	gr. ij.
Chloral Hydras	gr. v	„	ʒss.
Chloroformum	℥ iiij	„	℥ x.
Chrysarobinum	gr. $\frac{1}{6}$	„	gr. $\frac{1}{2}$.
Cinchonidinæ	Sul-				
phas	gr. j	„	gr. x.
Cinchoninæ	Sulphas		gr. j	„	gr. x.
Coca	ʒss	„	ʒij.
Cocainæ	Hydrochlo-				
ras	gr. $\frac{1}{5}$	„	gr. j.
Codeina	gr. $\frac{1}{4}$	„	gr. ij.
Colchici	Cormus	(in			
powder)	gr. ij	„	gr. viij.
Colocynthis	Pulpa				
(in powder)	gr. ij	„	gr. viij.
Confectio Opii	gr. v	„	gr. xx.
Confectio Piperis	ʒj	„	ʒij.
Confectio Scammonii	gr. x	„	ʒss.
Confectio Sennæ	ʒj	„	ʒij.
Confectio Sulphuris	ʒj	„	ʒij.
Confectio Terebin-					
thinæ	ʒj	„	ʒij.
Conii Folia	(in pow-				
der)	gr. ij	„	gr. viij.
Copaiba	ʒss	„	ʒj.
Creasotum	℥ j	„	℥ iiij.

Creta Præparata	...	gr. x	to ʒj.
Cubeba	ʒss	„ ʒij.
Cupri Sulphas (as- tringent)	gr. $\frac{1}{4}$	„ gr. ij.
Cupri Sulphas (emetic)	...	gr. v	„ gr. x.
Cusso	ʒij	„ ʒss.
Decocta (the dose of those omitted)	...	ʒj	„ ʒij.
Decoctum Aloes Com- positum	ʒss	„ ʒij.
Decoctum Cetrariæ...	...	ʒj	„ ʒiv.
Decoctum G r a n a t i Radicis	ʒij	„ ʒiv.
Decoctum Hordei	...	ʒj	„ ʒiv.
Decoctum Sarsæ	...	ʒij	„ ʒx.
Decoctum S a r s æ Compositum	ʒij	„ ʒx.
Decoctum Scoparii	...	ʒij	„ ʒiv.
Decoctum Taraxaci...	...	ʒij	„ ʒiv. .
Digitalis Folia (in powder)	gr. $\frac{1}{2}$	„ gr. jss.
Elaterinum	gr. $\frac{1}{10}$	„ gr. $\frac{1}{10}$
Elaterium	gr. $\frac{1}{16}$	„ gr. $\frac{1}{2}$.
Ergota (in powder)...	...	gr. xx	„ ʒss.
Ergotinum	gr. ij	„ gr. v.
Essentia Anisi	...	℥ x	„ ℥ xx.

Essentia	Menthæ		
Piperitæ	...	℥ x	to ℥ xx.
Eucalypti Gummi	...	gr. ij	„ gr. x.
Extractum Aconiti	...	gr. $\frac{1}{4}$	„ gr. j.
Extractum	Aloes		
Barbadensis	...	gr. ij	„ gr. vi.
Extractum Aloes So-			
cotrinæ	...	gr. ij	„ gr. vi.
Extractum Anthemi-			
dis	...	gr. ij	„ gr. x.
Extractum	Belæ		
Liquidum	...	ʒj	„ ʒij.
Extractum	Bella-		
donnæ	...	gr. $\frac{1}{4}$	„ gr. j.
Extractum	Bella-		
donnæ Alcoholicum		gr. $\frac{1}{16}$	„ gr. $\frac{1}{4}$.
Extractum Calumbæ		gr. ij	„ gr. x.
Extractum Cannabis			
Indicæ	...	gr. $\frac{1}{4}$	„ gr. j.
Extractum Cascaræ			
Sagradæ	...	gr. ij	„ gr. viij.
Extractum Cascaræ			
Sagradæ Liquidum		ʒss	„ ʒij.
Extractum Cimicifu-			
gæ Liquidum	...	℥ iiij	„ ʒss.
Extractum Cinchonæ			
Liquidum	...	℥ v	„ ℥ x.

Extractum Cocæ Li-			
quidum	3ss	to 3ij.	
Extractum Colchici...	gr. $\frac{1}{2}$	„ gr. ij.	
Extractum Colchici			
Aceticum	gr. $\frac{1}{2}$	„ gr. ij.	
Extractum Colocyn-			
thidis Compositum	gr. ij	„ gr. x.	
Extractum Conii ...	gr. ij	„ gr. vj.	
Extractum Ergotæ			
Liquidum... ..	℥ x	„ 3ss.	
Extractum Euonymi			
Siccum	gr. j	„ gr. iv.	
Extractum Filicis			
Liquidum... ..	℥ xv	„ 3ss.	
Extractum Gelsemii			
Alcoholicum ...	gr. $\frac{1}{2}$	„ gr. ij.	
Extractum Gentianæ	gr. ij	„ gr. x.	
Extractum Glycyrrhizæ			
... ..	gr. v	„ 3j.	
Extractum Glycyrrhizæ Liquidum ...	3j		
Extractum Hæmatoxyli			
... ..	gr. x	„ 3ss.	
Extractum Hamamelidis Liquidum ...	℥ ij	„ ℥ v.	
Extractum Hydrastis			
Liquidum... ..	℥ v	„ 3ss.	

Extractum Hyoscyami	gr. v	to gr. x.
Extractum Jaborandi		gr. ij	„ gr. x.
Extractum Jalapæ	...	gr. v	„ gr. xv.
Extractum Krameriaë		gr. v	„ gr. xx.
Extractum Lactucæ		gr. v	„ gr. xv.
Extractum Lupuli	...	gr. v	„ gr. xv.
Extractum Nucis Vomicaë	gr. $\frac{1}{4}$	„ gr. j.
Extractum Opii	...	gr. $\frac{1}{2}$	„ gr. ij.
Extractum Opii Liquidum	℥ x	„ ℥ xl.
Extractum Papaveris		gr. ij.	„ gr. v.
Extractum Pareiræ		gr. x	„ ʒss.
Extractum Pareiræ Liquidum	ʒss	„ ʒij.
Extractum Physostigmatis	gr. $\frac{1}{16}$	„ gr. $\frac{1}{4}$.
Extractum Quassiaë		gr. iiij	„ gr. v.
Extractum Rhamni Frangulæ	gr. xv	„ ʒj.
Extractum Rhamni Frangulæ Liquidum		ʒj	„ ʒss.
Extractum Rhei	...	gr. v	„ gr. xv.
Extractum Sarsæ Liquidum	ʒij	„ ʒss.
Extractum Stramonii		gr. $\frac{1}{4}$	„ gr. $\frac{1}{2}$.
Extractum Taraxaci		gr. v	„ ʒss.

Extractum Taraxaci
Liquidum ℥ xv to ʒij.

Fel Bovinum Purifi-			
catum	gr. v	„	gr. x.
Ferri Arsenias	gr. $\frac{1}{16}$	„	gr. $\frac{1}{2}$.
Ferri Carbonas Sac-			
charata	gr. v	„	ʒss.
Ferri et Ammonii Ci-			
tras	gr. v	„	gr. x.
Ferri et Quininæ Ci-			
tras	gr. v	„	gr. x.
Ferri Peroxidum Hy-			
dratum	gr. v	„	ʒss.
Ferri Phosphas	gr. v	„	gr. x.
Ferri Sulphas	gr. j	„	gr. v.
Ferri Sulphas Exsic-			
cata	gr. $\frac{1}{2}$	„	gr. iij.
Ferri Sulphas Granu-			
lata	gr. j	„	gr. v.
Ferrum Redactum	gr. j	„	gr. v.
Ferrum Tartaratum	gr. v	„	gr. x.

Gelsemium	gr. v	„	ʒss.
Glycerinum	ʒj	„	ʒij
Guaiaci Resina	gr. x	„	ʒss.

Homatropinæ	Hy-		
drobromas	...	gr. $\frac{1}{80}$	to gr. $\frac{1}{20}$
Hydrargyri Iodidum			
Rubrum	...	gr. $\frac{1}{32}$	„ gr. $\frac{1}{8}$
Hydrargyri Perchlori-			
dum	...	gr. $\frac{1}{16}$	„ gr. $\frac{1}{8}$
Hydrargyri Sub-			
chloridum...	...	gr. $\frac{1}{2}$	„ gr. v.
Hydrargyrum	cum		
Creta	...	gr. iij	„ gr. viij.

Infusa (the dose of those omitted)	...	ʒj	„ ʒij.
Infusum Anthemidis		ʒj	„ ʒiv.
Infusum Buchu	...	ʒj	„ ʒiv.
Infusum Caryophylli		ʒj	„ ʒiv.
Infusum Cusso	...	ʒiv	„ ʒviij.
Infusum Digitalis	...	ʒij	„ ʒss.
Infusum Maticæ	...	ʒj	„ ʒiv.
Injectio Apomor-			
phinæ Hypoder-			
mica	...	℥ ij	„ ℥ viij.
Injectio Ergotini			
Hypodermica	...	℥ iij	„ ℥ x.
Injectio Morphinæ			
Hypodermica	...	℥ j	„ ℥ v.
Iodoformum...	...	gr. $\frac{1}{2}$	„ gr. iij.

I p e c a c u a n h a (as expectorant)	...	gr. $\frac{1}{2}$ to	gr. ij.
I p e c a c u a n h a (as emetic)	gr. xv	„ ʒss.
Jaborandi (in powder)		gr. v	„ ʒj.
Jalapa	gr. x	„ ʒss.
Jalapæ Resina	gr. ij	„ gr. v.
Kamala	ʒss	„ ʒij.
Kino	gr. x	„ ʒss.
Liquor Ammonii Ace- tatis	ʒij	„ ʒvj.
Liquor Ammonii Ace- tatis Fortior	℥ xxv	„ ℥ lxxv.
Liquor Ammonii Ci- tratis	ʒij	„ ʒvj.
Liquor Ammonii Ci- tratis Fortior	ʒss	„ ʒjss.
Liquor Arsenicalis	℥ ij	„ ℥ viij.
Liquor Arsenici Hy- drochloricus	℥ ij	„ ℥ viij.
Liquor Arsenii et Hy- drargyri Iodidi	℥ x	„ ʒss.
Liquor Atropinæ Sul- phatis	℥ j	„ ℥ iv.

Liquor Bismuthi et Ammonii Citratis..	℥ss	to	℥j.
Liquor Calcii Chloridi	℥ xv	„	℥ l.
Liquor Calcis ...	℥j	„	℥iv.
Liquor Calcis Sac- charatus	℥ xv	„	℥j.
Liquor Chlori ...	℥ x	„	℥ xx.
Liquor Cocainæ Hy- drochloratis ...	℥ ij	„	℥ x.
Liquor Ferri Acetatis	℥ v	„	℥ss.
Liquor Ferri Acetatis Fortior	℥ j	„	℥ viij.
Liquor Ferri Dialy- satus	℥ x	„	℥ss.
Liquor Ferri Perchlo- ridi	℥ x	„	℥ss.
Liquor Ferri Perni- tratis	℥ x	„	℥ xl.
Liquor Hydrargyri Perchloridi ...	℥ss	„	℥ij.
Liquor Lithiæ Effer- vescens	℥v	„	℥x.
Liquor Magnesii Car- bonatis	℥j	„	℥ij.
Liquor Magnesii Ci- tratis	℥v	„	℥x.
Liquor Morphinæ Acetatis	℥ x	„	℥j.

Liquor Morphinæ			
Bimeconatis ...	℥ v	to	℥ xl.
Liquor Morphinæ			
Hydrochloratis ...	℥ x	„	ʒj.
Liquor Morphinæ			
Sulphatis ...	℥ x	„	ʒj.
Liquor Potassæ ...	℥ xv	„	ʒj.
Liquor Potassii Per-			
manganatis ...	ʒij	„	ʒss.
Liquor Sodæ Chlori-			
natæ ...	℥ x	„	℥ xx.
Liquor Sodii Arsenia-			
tis ...	℥ v	„	℥ x.
Liquor Strychninæ			
Hydrochloratis ...	℥ v	„	x.
Liquor Trinitrini ...	℥ $\frac{1}{2}$	„	℥ ij.
Lithii Carbonas ...	gr. ij	„	gr. vj.
Lithii Citras... ...	gr. v	„	gr. x.
Lupulinum ...	gr. ij	„	gr. v.
Magnesia Levis ...	gr. x	„	ʒj.
Magnesia Ponderosa	gr. x	„	ʒj.
Magnesii Carbonas			
Levis ...	gr. x	„	ʒj.
Magnesii Carbonas			
Ponderosa... ...	gr. x	„	ʒj.
Magnesii Sulphas ...	ʒj	„	ʒss.

Magnesii Sulphas Ef-

fervescens...	...	ʒij	to ʒj.
Manna	...	ʒj	„ ʒj.
Menthol	...	gr. $\frac{1}{2}$	„ gr. ij.
Misturæ (the dose of those omitted)	...	ʒj	„ ʒij.
Mistura Ammoniaci..	ʒss	„	ʒj.
Mistura Guaiaci	...	ʒss	„ ʒij.
Mistura Olei Ricini...	ʒss	„	ʒij.
Mistura Scammonii...	ʒj	„	ʒiiij.
Mistura Sennæ Composita	...	ʒj	„ ʒjss.
Morphinæ Acetas	...	gr. $\frac{1}{8}$	„ gr. $\frac{1}{2}$.
Morphinæ Hydrochloras	...	gr. $\frac{1}{8}$	„ gr. $\frac{1}{2}$.
Morphinæ Sulphas...	gr. $\frac{1}{8}$	„	gr. $\frac{1}{2}$.
Moschus	...	gr. v	„ gr. x.

Olea (the dose of those omitted)

those omitted)	...	℥ j	„ iv.
Oleum Copaibæ	...	℥ v	„ ℥ xx.
Oleum Crotonis	...	℥ $\frac{1}{3}$	„ ℥ j.
Oleum Cubebæ	...	℥ v	„ ℥ xx.
Oleum Morrhuæ	...	ʒj	„ ʒj.
Oleum Phosphoratum	...	℥ v	„ ℥ x.
Oleum Ricini	...	ʒj	„ ʒj.
Oleum Santali	...	℥ x	„ ʒss.

Oleum Terebinthinæ (stimulant and diuretic)	℥ x	to ℥ xx.
Oleum Terebinthinæ (anthelmintic pur- gative)	ʒij	„ ʒss.
Oleo-Resina Cubebæ	℥ v	„ ʒss.
Opium	gr. $\frac{1}{2}$	„ gr. iiij.
Oxymel	ʒj	„ ʒij.
Oxymel Scillæ ...	ʒss	„ ʒj.
Paraldehydum ...	ʒss	„ ʒjss.
Pepsin	gr. ij	„ gr. v.
Phenacetinum ...	gr. v	„ gr. x.
Phenazonum ...	gr. iiij	„ gr. xx.
Physostigmatis Se- men	gr. j	„ gr. iv.
Picrotoxinum ...	gr. $\frac{1}{100}$	„ gr. $\frac{1}{30}$.
Pilocarpinæ Nitras...	gr. $\frac{1}{20}$	„ gr. $\frac{1}{2}$.
Pilulæ (the dose of those omitted) ...	gr. v	„ gr. x.
Pilula Ferri	gr. v	„ gr. xx.
Pilula Ferri Carbona- tis	gr. v	„ gr. xx.
Pilula Ferri Iodidi ...	gr. iiij	„ gr. viij.
Pilula Hydrargyri ...	gr. iiij	„ gr. viij.
Pilula Phosphori ...	gr. ij	„ gr. iv.

Pilula Plumbi cum		
Opio	gr. iiij	to gr. v.
Pilula Saponis Com-		
posita	gr. iiij	„ gr. v.
Pilula Scammonii		
Composita ...	gr. v	„ gr. xv.
Plumbi Acetas ...	gr. j	„ gr. iv.
Podophylli Resina ...	gr. $\frac{1}{4}$	„ gr. j.
Potassii Acetas ...	gr. x	„ 3j.
Potassii Bicarbonas...	gr. x	„ gr. xl.
Potassii Bromidum...	gr. v	„ 3ss.
Potassii Carbonas ...	gr. x	„ 3ss.
Potassii Chloras ...	gr. x	„ 3ss.
Potassii Citras ...	gr. xx	„ 3j.
Potassii Iodidum ...	gr. ij	„ gr. xx.
Potassii Nitras ...	gr. x	„ 3ss.
Potassii Permanganas	gr. j	„ gr. v.
Potassii Sulphas ..	gr. xv	„ 3j.
Potassii Tartras ...	3j	„ 3ss.
Potassii Tartras Acida	gr. xx	„ 3j.
Pulvis Antimonialis...	gr. iiij	„ gr. v.
Pulvis Catechu Com-		
positus	gr. xx	„ gr. xl.
Pulvis Cinnamomi		
Compositus ...	gr. iiij	„ gr. x.
Pulvis Cretæ Aromat-		
ticus	gr. x	„ 3j.

Pulvis Cretæ Aromaticus cum Opio ...	gr. x	to gr. xl.
Pulvis Elaterini Compositus	gr. $\frac{1}{2}$	„ gr. v.
Pulvis Glycyrrhizæ Compositus ...	ʒss	„ ʒj.
Pulvis Ipecacuanhæ Compositus ...	gr. v	„ gr. xv.
Pulvis Jalapæ Compositus	gr. xx	„ ʒj.
Pulvis Kino Compositus... ..	gr. v	„ gr. xx.
Pulvis Opii Compositus	gr. ij	„ gr. v.
Pulvis Rhei Compositus... ..	gr. xx	„ ʒj.
Pulvis Scammonii Compositus ...	gr. x	„ gr. xx.
Pulvis Tragacanthæ Compositus ...	gr. xx	„ ʒj.
Quininæ Hydrochloras... ..	gr. j	„ gr. x.
Quininæ Sulphas ...	gr. j	„ gr. x.
Rhei Radix	gr. v	„ gr. xx.
Sabinæ Cacumina ...	gr. iv	„ gr. x.

Salicinum	gr. iiij	to gr. xx.
Santonica	gr. x	„ 3j.
Santonin	gr. ij	„ gr. vj.
Scammoniæ Resina..			gr. iiij	„ gr.viiij.
Scammonium	...		gr. v	„ gr. x.
Scilla	gr. j	„ gr. iiij.
Soda Tartarata	...		3ij	„ 3ss.
Sodii Arsenias	...		gr. $\frac{1}{16}$	„ gr. $\frac{1}{8}$.
Sodii Benzoas	...		gr. x	„ 3ss.
Sodii Bicarbonas	...		gr. x	„ 3j.
Sodii Bromidum	...		gr. x	„ 3ss.
Sodii Carbonas	...		gr. v	„ 3ss.
Sodii Carbonas Ex-				
siccata	gr. iiij	„ gr. x.
Sodii Citro-Tartras				
Effervescens	...		3j	„ 3ij.
Sodii Hypophosphis			gr. v	„ gr. x.
Sodii Iodidum	...		gr. iiij	„ gr. x.
Sodii Nitris	gr. ij	„ gr. v.
Sodii Phosphas	...		3ij	„ 3j.
Sodii Phosphas Effer-				
vescens	3ij	„ 3ss.
Sodii Salicylas	...		gr. x	„ 3ss.
Sodii Sulphas	...		3ij	„ 3j.
Sodii Sulphas Effer-				
vescens	3ij	„ 3ss.
Sodii Sulphis	...		gr. v	„ gr. xx.
Sodii Sulphocarbolas			gr. x	„ gr. xv.

Sodii Valerianas ...	gr. j	to gr. v.
Spiritus (the dose of those omitted) ...	ʒss	„ ʒj.
Spiritus Ætheris ...	ʒss	„ ʒjss.
Spiritus Ætheris Compositus ...	ʒss	„ ʒij.
Spiritus Ætheris Nitrosi ...	ʒss	„ ʒij.
Spiritus Armor- aciæ Compositus...	ʒj	„ ʒij.
Spiritus Camphoræ...	℥ x	„ ʒss
Spiritus Chloroformi	℥ xx	„ ʒj.
Strychnina ...	gr. $\frac{1}{30}$	„ gr. $\frac{1}{12}$.
Succus Belladonnæ...	℥ v	„ ℥ xv.
Succus Conii ...	ʒss	„ ʒj.
Succus Hyoscyami	ʒss	„ ʒj.
Succus Scoparii ...	ʒj	„ ʒij.
Succus Taraxaci ...	ʒj	„ ʒij.
Sulphonal ...	gr. xv	„ gr. xl.
Sulphur Præcipita- tum ...	gr. xx	„ ʒj.
Sulphur Sublimatum	gr. xx	„ ʒj.
Syrupi (the dose of those omitted) ...	ʒj.	
Syrupus Chloral ...	ʒss	„ ʒij.
Syrupus Ferri Iodidi.	ʒss	„ ʒj.
Syrupus Ferri Sub- chloridi ...	ʒss	„ ʒj.

Syrupus Rhei	...	ʒj	to ʒss.
Syrupus Scillæ	...	ʒss	„ ʒj.
Syrupus Sennæ	...	ʒj	„ ʒss.
Tabellæ Nitroglycer- ini	1 or 2.	
Terebinthina Cana- densis	gr. xx	„ ʒss.
Thymol	gr. $\frac{1}{2}$	„ gr. ij.
Tincturæ (the dose of those admitted)	...	ʒss	„ ʒij.
Tinctura Aconiti	...	℥ v	„ ℥ xv.
Tinctura Aloes	...	ʒj	„ ʒij.
Tinctura Aurantii	...	ʒj	„ ʒij.
Tinctura Aurantii Re- centis	ʒj	„ ʒij.
Tinctura Belladonnæ	...	℥ v	„ ℥ xx.
Tinctura Benzoini Composita	...	ʒss	„ ʒj.
Tinctura Buchu	...	ʒj	„ ʒij.
Tinctura Camphoræ Composita	...	℥ xv	„ ʒj.
Tinctura Cannabis Indicæ	℥ v	„ ℥ xx.
Tinctura Cantharidis	...	℥ v	„ ℥ xx.
Tinctura Capsici	...	℥ x	„ ℥ xx.
Tinctura Chloroformi Composita	...	℥ xx	„ ʒj.

Tinctura Chloroformi et Morphinae ...	℥ v	to	℥ x.
Tinctura Cimicifugæ	℥ xv	„	ʒj.
Tinctura Colchici Se- minum ...	℥ x	„	ʒss.
Tinctura Conii ...	℥ xx	„	ʒj.
Tinctura Digitalis ..	℥ x	„	ʒss.
Tinctura Ergotæ ...	℥ v	„	ʒss.
Tinctura Ferri Aceta- tis... ..	℥ v	„	ʒss.
Tinctura Ferri Per- chloridi	℥ x	„	ʒss.
Tinctura Gelsemii ...	℥ v	„	℥ xx.
Tinctura Guaiaci Am- moniata	ʒss	„	ʒj.
Tinctura Hamame- lidis	℥ v	„	ʒj.
Tinctura Hydrastis	ʒss	„	ʒj.
Tinctura Hyoscyami	ʒss	„	ʒj.
Tinctura Iodi ...	℥ v	„	℥ xx.
Tinctura Jaborandi...	ʒss	„	ʒj.
Tinctura Laricis ...	℥ xx	„	ʒss.
Tinctura Lobeliae ...	℥ x	„	ʒss.
Tinctura Lobeliae Ætherea	℥ x	„	ʒss.
Tinctura Myrrhæ ...	ʒss	„	ʒj.
Tinctura Nucis Vo- micæ	℥ x	„	℥ xx.

Tinctura Opii	...	℥v	to ℥xl.
Tinctura Opii Ammo- niata	℥ss	„ ℥j.
Tinctura Podophylli		℥xv	„ ℥j.
Tinctura Rhei (sto- machic)	℥j	„ ℥ij.
Tinctura Rhei (purga- tive)	℥ss	„ ℥j.
Tinctura Sabinæ	...	℥xx	„ ℥j.
Tinctura Scillæ	..	℥x	„ ℥ss.
Tinctura Sennæ	...	℥j	„ ℥ss.
Tinctura Stramonii...		℥x	„ ℥ss.
Tinctura Strophanthi		℥ij	„ ℥x.
Tinctura Sumbul	...	℥x	„ ℥ss.
Tinctura Tolutanæ	...	℥xx	„ ℥xl.
Tinctura Valerianæ...		℥j	„ ℥ij.
Tinctura Valerianæ Ammoniata	℥ss	„ ℥j.
Tinctura Veratri Viri- dis	℥v	„ ℥xx.
Tinctura Zingiberis		℥xv	„ ℥j.
Tinctura Zingiberis Fortior	℥v	„ ℥xx.
Trochisci (the dose of those omitted)	1	„ 6.
Trochisci Acidi Ben- zoici	1	„ 5.

Trochisci	Ipecacu-			
anhæ	1	to 3.

Valerianæ	Rhizoma			
(powder)	gr. x	„ ʒss.
Vinum Aloes	...		ʒj	„ ʒij.
Vinum Antimoniale			℥v	„ ʒj.
Vinum Colchici	...		℥x	„ ʒss.
Vinum Ferri...	...		ʒj	„ ʒss.
Vinum Ferri Citratis			ʒj	„ ʒss.
Vinum Ipecacuanhæ				
(expectorant)	...		℥v	„ ℥xl.
Vinum Ipecacuanhæ				
(emetic)	ʒiij	„ ʒvi.
Vinum Opii	℥x	„ ℥xl.
Vinum Quininæ	...		ʒss	„ ʒj.
Vinum Rhei	ʒj	„ ʒij.

Zinci Acetas (tonic)			gr. j	„ gr. ij.
Zinci Acetas (emetic)			gr. x	„ gr. xx.
Zinci Oxidum	...		gr. ij	„ gr. x.
Zinci Sulphas (tonic)			gr. j	„ gr. iij.
Z i n c i S u l p h a s				
(emetic)	gr. x	„ ʒss.
Zinci Valerianas	...		gr. j	„ gr. iij.

POISONS AND THEIR TREATMENT.

EMETICS.

When an Emetic is ordered, one of the following may be employed, unless a special Emetic is mentioned.

- (a) *Mustard and Water*.—A table-spoonful of mustard stirred up in two-thirds of a tumbler of luke-warm water.
- (b) *Sulphate of Zinc*.—Thirty grains dissolved in half a tumbler of luke-warm water.
- (c) *Warm Water*.—Given copiously, alone or after one of the above.

DEMULCENT DRINKS.

When demulcent drinks are ordered, one or more of the following may be given.

(a) *Linseed Tea.*

(b) *Barley Water.*

(c) *Milk.*

(d) *Compound Almond Mixture.*

(Common Poisons arranged alphabetically.)

Aconite.

Immediate Treatment. — Emetic, followed by Stomach-pump. Subcutaneous injection of Tinct. Digitalis ℥ xx., or of Liq. Atropinæ Sulphatis ℥ ij.

Later.—Brandy. Warmth. Inhalation of nitrite of amyl.

Alcohol.

Immediate Treatment. — Stomach-pump, Emetic, or Injectio Apomorphinæ Hypodermica ℥ ij. Cold affusions to head.

Later.—Hot strong Coffee. Warmth.

Almonds, Essential Oil of Bitter.

Treatment. — As for *Hydrocyanic Acid*.

Ammonia.

Treatment.—As for *Caustic Potash*.

Antimony, Salts of.

Immediate Treatment.—Emetic, if there is no vomiting. Inj. Apomorphinæ Hypodermica \mathfrak{m} ij. Tannic Acid, or strong Tea or Coffee.

Later. — Demulcents. Brandy. Opium.

Arsenic.

Immediate Treatment.—Emetic and Stomach-pump. Dialysed Iron or Ferric Hydrate (prepared by mixing Tinct. Ferri Perchlor. and Liq. Ammoniaë), or Magnesia.

Later. — Brandy. Demulcents. Morphine. Enema Opii for tenesmus. Hot fomentations to abdomen.

Atropine.

Immediate Treatment. — Emetic, Stomach-pump, washing out with strong Tea or Tannic Acid. Hypodermic Injection of Nitrate of Pilocarpine gr. $\frac{1}{3}$, repeated if necessary.

Later.—Brandy. Warmth.

Battle's Vermin Killer.

Treatment.—As for *Strychnine*.

Battley's Solution.

Treatment.—As for *Opium*.

Belladonna.

Treatment.—As for *Atropine*.

Benzol.

Immediate Treatment. — Emetic, Stomach-pump.

Later. — Brandy. Inhalation of Ammonia. Subcutaneous Injection of Liq. Atropinæ Sulphatis ʒ ij.

Bichromate of Potash.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Demulcents. Olive Oil. Warmth.

Butler's Vermin Killer.

Treatment.—As for *Strychnine*.

Calabar Bean.

Immediate Treatment.—Emetic and Stomach-pump.

Later. — Repeated Subcutaneous Injection of Liq. Atropinæ Sulphatis \mathfrak{m} ij, or Chloral Hydrate gr. x, by mouth or rectum. Brandy. Sal volatile.

Camphor.

Immediate Treatment. — Emetic and Stomach-pump.

Later. — Inhalation of Sal volatile. Subcutaneous Injection of Brandy. Hot fomentations.

Cantharides.

Immediate Treatment.—Emetic.

Later.—Demulcents. Opium. Morphine.

Carbolic Acid.

Immediate Treatment.— Emetic and Stomach-pump. Wash out with Sulphate of Magnesium.

Later.—Demulcent Drinks. Olive Oil. Brandy subcutaneously or by enema. Warmth.

Caustic Potash.

Immediate Treatment.—Vinegar.

Lemon juice. Orange juice.

Later.—Demulcents. Olive oil.

Brandy. Warmth.

Caustic Soda.

Treatment.—As for *Caustic Potash*.

Chloral Hydrate.

Immediate Treatment.—Cold water to face, head and neck. Emetic and Stomach-pump. Hot blankets. Hot bottle to feet.

Later.—Hot strong Coffee. Artificial respiration. Battery. Subcutaneous Injection of Liq. Strychninæ Hydrochloratis $\text{m} \text{v}$. Nitrite of amyl.

Chlorodyne.

Treatment.—As for *Opium*.

Chloroform (inhaled).

Immediate Treatment. — Clear fauces. Pull forward the tongue. Fresh air. Artificial respiration. Inversion. Battery. Nitrite of Amyl.

Chloroform (swallowed).

Immediate Treatment.—Emetic and Stomach-pump. Cold water to face. Nitrite of Amyl. Olive Oil. Artificial respiration.

Cocaine.

Immediate Treatment. — Brandy. Nitrite of Amyl. Subcutaneous Injection of Ether.

Later.—Bromide of Potassium.

Cocculus Indicus.

Treatment.—As for *Picrotoxin*.

Colchicum.

Immediate Treatment. — Stomach-pump or emetic.

Later.—Strong Tea. Tannic Acid. Demulcents. Stimulants.

Colocynth.

Immediate Treatment. — Stomach-pump or Emetic. Sp. Camphoræ \mathfrak{m} x.

Later. — Brandy. Demulcents. Warmth. Tinct. Opii \mathfrak{m} xx.

Conium.

Immediate Treatment.—Stomach-pump or Emetic.

Later.—Strong Tea. Tannic Acid. Brandy. Artificial respiration, if necessary.

Copper, Salts of.

Immediate Treatment.—White of Egg. Milk. Emetic and Stomach-pump if vomiting has not occurred.

Later.—Demulcents. Morphine or Laudanum and hot fomentations if much pain.

Corrosive Sublimate.

Treatment.—As for *Mercury, Salts of*.

Cyanide of Potassium.

Treatment.—As for *Hydrocyanic Acid*.

Dalby's Carminative.

Treatment.—As for *Opium*.

Digitalis.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Aperient. Strong Tea or Coffee. Brandy. Recumbent posture long after urgent symptoms have subsided.

Emerald Green.

Treatment.—As for *Arsenic*.

Ergot.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Brandy. Sal volatile. Strong tea. Aperient.

Eserine.

Treatment.—As for *Calabar Bean*.

Ether (inhaled).

Treatment.—As for *Chloroform inhaled*.

Gibson's Vermin Killer.

Treatment.—As for *Strychnine*.

Godfrey's Cordial.

Treatment.—As for *Opium*.

Henbane (*Hyoscyamus*).

Treatment.—As for *Atropine*.

Hydrochloric Acid.

Immediate Treatment.—Soap and water. Magnesia, Chalk, or Carbonate of Soda with water.

Later.—Demulcents. Olive Oil
White of Egg. Morphine
hypodermically.

Hydrocyanic Acid.

Immediate Treatment.—Dash cold water over head and chest. Emetic, or promote vomiting by tickling fauces. Inhalation of Ammonia.

Later.—Artificial respiration. Battery. Hypodermic Injection of Liq. Atropinæ Sulphatis \mathfrak{m} ij.

Iodine.

Immediate Treatment.—Emetic and Stomach-pump.

Later.—Starch and water. Demulcents. Nitrite of Amyl. Morphine and fomentations for pain.

Lead, Salts of (Acute).

Immediate Treatment.—Stomach-pump or Emetic. Dilute Sulphuric Acid \mathfrak{z} ss. in water. Sulphate of Magnesium.

Later.—White of egg. Demulcents. Aperients.

Mercury, Salts of.

Immediate Treatment.—White of egg or milk, followed immediately by Stomach-pump or Emetic.

Later.—Demulcents. Stimulants.

Morphine.

Treatment.—As for *Opium*.

Nitrate of Silver.

Immediate Treatment.—Common salt in milk or water. Emetic.

Later.—Demulcents.

Nitric Acid.

Treatment.—As for *Hydrochloric Acid*.

Nitro-Glycerine.

Immediate Treatment.—Recumbent posture. Cold affusion.

Later.—Injectio Ergotini Hypodermica \mathfrak{m} iij., or Liq. Atrop. Sulph. \mathfrak{m} ij.

Opium.

Immediate Treatment.—Emetic and Stomach-pump. Dash cold water on face. Ammonia or Nitrite of Amyl to nostrils.

Later.—Hot strong Coffee. Liq. Atrop. Sulph. hypodermically. Battery. Rouse by exercise or shouting. Artificial respiration if necessary.

Oxalic Acid.

Immediate Treatment.—Chalk and water. Lime water.

Later.—Brandy. Castor oil.

Phosphorus.

Immediate Treatment.—Sulphate of Copper, gr. v. -- gr. x. in water. Stomach-pump if vomiting is not produced.

Later.—French Oil of Turpentine ʒss. in mucilage every half-hour. Sulphate of Magnesium. Avoid oils and fats.

Picrotoxin.

Immediate Treatment.—Emetic or Stomach-pump. Chloral.

Later.—Bromide of Potassium and Chloral.

Potash, Caustic.

(See Caustic Potash.)

Rat-pastes.

Treatment.—As for *Phosphorus*, or *Arsenic*.

Savin.

Immediate Treatment.—Emetic.

Later.—Demulcents. Castor Oil. Opium or Morphine.

Silver, Salts of.

Treatment.—As for *Nitrate of Silver*.

Soda, Caustic.

(See Caustic Soda.)

Sorrell, Salts of.

Treatment.—As for *Oxalic Acid*.

Stramonium.

Treatment.—As for *Atropine*.

Strychnine.

Immediate Treatment.—Emetic and Stomach-pump. *Injectio Apomorphinæ Hypodermica* \mathfrak{m} v. Bromide of Potassium \mathfrak{z} j., in water every half hour. Chloral Hydrate hypodermically. Nitrite of Amyl inhalations.

Later.—Inhalation of Chloroform, if convulsions are very severe. Artificial respiration.

Sulphuric Acid.

Treatment.—As for *Hydrochloric Acid*.

Tartar Emetic.

(See Antimony, Salts of.)

Tin, Salts of.

Immediate Treatment.—Emetic and Stomach-pump. Milk or White of Egg.

Later.—Demulcents.

Turpentine.

Immediate Treatment.—Emetic and Stomach-pump. Demulcents.

Later.—Sulphate of Magnesium. Morphine or Opium.

White Precipitate.

Treatment.—As for *Mercury, Salts of*.

Zinc, Salts of.

Immediate Treatment.—White of Egg. Carbonate of Sodium.

Later.—Demulcents. Strong Tea.
Warm fomentations. Morphine.

DIETARY.

"Extras" may be ordered for patients on any diet (except full diet) at the discretion of the Medical Officer.

"Special Extras," such as Brand's Essence, Mellin's Food, &c., &c., must be initialed for by the Visiting Physician or Surgeon either beforehand or at his next visit.

Children under ten years to receive one-half, and from ten to fourteen two-thirds allowances, unless otherwise ordered.

No. 1 DIET FEEDS.

MILK 4 *pints*.

BEEF TEA 1 *pint*.

	No. 2 DIET.	SCALE.
BREAKFAST.	MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz.	
LUNCHEON.	MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz.	
DINNER.	BROTH OR } 1 pint. BEEF TEA } BREAD..... 3 oz. MILK PUDDING.... 6 oz.	MILK 2 pints. BROTH OR } 1 pint. BEEF TEA } MILK PUDDING 6 oz. BREAD 9 oz.
TEA.	MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz.	
SUPPER.	MILK $\frac{1}{2}$ pint. BREAD..... $1\frac{1}{2}$ oz.	

HALF DIET SCALE.

No. 3 DIET.

MILK $\frac{1}{4}$ pint.
BREAD..... 2 oz.

MILK $\frac{1}{4}$ pint.
BREAD..... 2 oz.

MEAT (COOKED) .. 4 oz.
POTATOES 3 oz.
MILK PUDDING.... 6 oz.
BREAD..... 4 oz.

MILK $\frac{1}{4}$ pint.
BREAD..... 2 oz.

MILK $\frac{1}{4}$ pint.
BREAD..... 2 oz.

MILK 1 pint.
MEAT 4 oz.
POTATOES 8 oz.
MILK PUDDING 6 oz.
BREAD 12 oz.

BREAKFAST.

LUNCHEON.

DINNER.

TEA

SUPPER.

	No. 4 DIET	FULL DIET SCALE.
BREAKFAST.	MILK $\frac{1}{4}$ pint. BREAD..... 2 oz.	
LUNCHEON.	MILK $\frac{1}{4}$ pint. BREAD..... 2 oz.	MILK 1 pint.
DINNER.	MEAT (COOKED) .. 6 oz. POTATOES 8 oz. MILK PUDDING.... 6 oz. BREAD..... 4 oz.	MEAT 6 oz. POTATOES 8 oz. MILK PUDDING 6 oz.
TEA.	MILK $\frac{1}{4}$ pint. BREAD..... 2 oz.	BREAD 12 oz.
SUPPER.	MILK $\frac{1}{4}$ pint. BREAD..... 2 oz.	

EXTRAS.

 CHOP 4 oz.

 MINCE 6 oz.

 RAW BEEF 14 oz.

 FISH 6 oz. WINE

EGGS BRANDY

 SOUP..... 1 *pint*. GIN

GREENS 4 oz. WHISKEY

 PORTER

 ALE

DIETARY FOR INFANTS.

EMPLOYED IN THE PANTIA RALLI WARD.

One month old: 1 part milk, 1 part hot water, 1 part lime water; vary quantity of lime water according to state of child's bowels. Feed every two hours, giving from ʒij to ʒiij .

Two months: 2 parts milk to 1 of hot water and 1 of lime water or $1\frac{1}{2}$ of hot water and $\frac{1}{2}$ of lime water. Feed every 3 hours, giving from ʒiij to ʒvj .

Three months: 2 parts of milk to 1 of hot water, with 1 teaspoonful of lime water; increase quantity to ʒviij every 3 or 4 hours. These bottles should be sweetened and given at a temperature of 96° or 98° . Barley water or oatmeal water with the fibre of the meal left in

may be used alternately with or instead of the lime water.

After six months the milk should be given as little diluted as possible, but still with some lime water.

After eight months the frequency of the bottles should be decreased and some more solid food given with spoon, such as rusks softened in boiling water and mixed with warm milk, porridge, arrowroot.

After tenth month feed entirely with spoon and give beef tea ; chicken broth once a day.

If the child is sick some food may be mixed with the milk as early as the fifth month, and even beef tea may be given if cow's milk seems to disagree ; arrowroot or gruel can be easily given in the feeding bottle.

After sixteen or eighteen months very finely minced meat or chicken mixed

with bread crumbs and gravy, with custard pudding, bread and milk, porridge, &c., may form the diet, not feeding the child oftener than every three or four hours and never between its meals.





